



YOUR
**INTERLOCK
& CONCRETE
INSTALLATION**
SPECIALISTS



SERVING ETOBICOKE, MISSISSAUGA, BRAMPTON,
MILTON, OAKVILLE, BURLINGTON AND GTA



Our Services



Interlock & Concrete Installation

Concrete or interlock? Beauty or durability? Which material is right for your project? Gone are the days when you had to choose between beauty & durability when selecting your material. Today's materials offer both. That's why, at Markstone, we specialize and install both poured concrete and interlocking stone.

Driveways
Patios
Walkways

Steps
Porches
Pool Decks

Retaining Walls
Garden Beds
Front Entrances

All of our work includes:

- ✓ Excavation
- ✓ Debris removal
- ✓ Material & deliveries
- ✓ Compacted gravel foundation & HPB bed
- ✓ Interlock / concrete installation
- ✓ No hidden costs
- ✓ **24 Months Guarantee On Workmanship!**

Voted Best Landscaping Company in Mississauga





Concrete

Finishes

1. Choose your finish.

Markstone Landscaping offers four kinds of concrete finishes: **Brushed** concrete, **Exposed** concrete, **Stamped** concrete and **Modern** (or limestone finish) concrete.



Colours

2. Choose your colours.


Most concrete projects use the natural colour of concrete, however, if you'd like to add colour to project you can choose from our **integral colour** or **colour hardener** colour palettes.



Borders & Cuts

3. Choose your borders and cuts.

The final step to complete your project is to decide on borders and cuts. We offer **square**, **diamond** or **custom** cuts, as well as **trowel** or **stamped** borders.



Products







Concrete Finishes

Brushed Concrete

What is Brushed Concrete?

Once the concrete is poured, while the surface is still wet, a broom is brushed across the surface to create a brushed concrete texture. Brushed concrete may be sealed with a penetrating sealer by request.






Concrete Finishes

Exposed Concrete

What is Exposed Concrete?

The exposed concrete texture is achieved by adding pea gravel into the concrete mixture. Once the concrete is poured, a chemical is applied to the surface to prevent the top-most layer from curing. The next day, this top layer is washed off to expose the pea gravel texture. Exposed concrete is finished with a high gloss sealer.





Concrete Finishes

Stamped Concrete

What is Stamped Concrete?

A stamped concrete finish is created by impressing textured forms onto the surface of the concrete before it has set. This texture may be enhanced with the application of colour to create contrast. Stamped concrete is finished with a high gloss, slip-resistant sealer.







Concrete Finishes

Modern Concrete

What is Modern Concrete?

Modern concrete is a smooth, matte finish concrete which resembles limestone. Once the concrete is poured and set, the surface is hand-polished and sandblasted. It is then finished with a penetrating sealer to provide a protective matte finish.





Concrete Colour

Colour Hardener

What is Colour Hardener?

Colour Hardener is a colored powder used to colour the surface of your concrete after it has been poured.

Final colour will vary due to natural colour of concrete. Colours are not guaranteed.

 Coconut CH-3	 Sand Dollar CH-3	 Classic Beige CH-2	 Bermuda Shell CH-3	 Atlantic Gray CH-1
 Classic White CH-3	 Eggshell CH-3	 Moroccan Buff CH-2	 Flint Gray CH-1	 Woodrose CH-3
 Bisque Ta CH-2	 Toffee CH-2	 Durango Tan CH-2	 Cabaret Pink CH-2	 Ireland CH-2
 Terra Cotta CH-1	 Mesa Tan CH-2	 Mesquite Brown CH-1	 Cortez Red CH-1	 Basalt Gray CH-1
 Comanche Red CH-1	 Santa Fe Brown CH-1	 Cocoa Brown CH-1	 El Rancho Red CH-1	 Stone Gray CH-1



Borders & Cuts

Borders & Cuts



Concrete Borders

Add a finishing touch to your project by adding a border. A trowel finish border is a smooth border created with a trowel. A stamped border is created by impressing a texture into the border and finishing it with a colour hardener.




Trowel Border



Stamped Border

Concrete Cuts

Concrete cuts are more than just a decorative way to finish your project - they serve to ensure that your concrete does not crack in unsightly places.



Square



Diamond



Custom



Our Concrete Process

Markstone Landscaping prides itself on using specialized crews at every stage of your project

1 Excavating Crew

The first crew to arrive on site will be the excavating crew. They will remove existing interlock/ concrete/ asphalt and excavate the area. This debris will then be loaded into dump trucks and hauled away.



2 Framing Crew

Next to arrive will be the framing crew. The framing crew will build the frames into which concrete will be poured.



3 Graveling & Rebar Crew

Our graveling and rebar crew will arrive next. This crew will lay gravel and tamp it down to create the foundation of your project. Rebar will be placed overtop of the gravel and tied to hold in place.



4 Concrete Crew

The next crew to arrive will be the concrete pouring crew accompanied by a concrete truck. This crew will install the concrete and apply the finish of your choice (brushed, exposed, stamped, modern).



5 Cleaning Crew

The final crew on site will be the cleaning crew. This crew will cut the concrete and complete the overall finished look of your project. This crew may come back a second time if your project requires sealing.





Interlock

Pavers & Slabs

1. Choose your pavers & slabs.

Interlock laid on flat surfaces such as driveways, walkways and patios is laid using pavers and slabs. **Pavers** are thick, 80mm stones used on driveways and any areas where heavy vehicles will be parked. **Slabs** are thinner, 45-60mm stones used in foot-traffic areas such as walkways and patios. Consider creating a **border** to accent your project!



Blocks & Coping

2. Choose your blocks & coping.

Blocks & copings are used to create vertical structures such as steps, garden walls and retaining walls. **Blocks** refer to the bricks which are stacked in tiers to create the height of the wall. **Copings** refer to the flat stones used to place on top of the wall. Consider using a different coloured coping to accent your wall!



Products



www.bestwaystone.com



www.permacon.ca



www.techo-bloc.com



www.oakvillestone.com



www.unilock.com

 **Van Beeks**
2410 Lower Base Line
Oakville, Ontario


 **Peel Landscaping**
44 Armstrong Ave
Georgetown, Ontario




Pavers & Slabs

Eko Pavers

Supplier: Permacon



Ash Grey Blend




Granite Blend



2 3/4 x 7 x 14 1/8 (in)




2 3/4 x 14 1/8 x 14 1/8 (in)



2 3/4 x 14 1/8 x 21 1/4 (in)

Huntington

Supplier: Bestway Stone



Colorado Grey



Grey Mix



Summer Mist



15.67" x 23.5" x 2.75"



15.67" x 15.67" x 2.75"



7.83" x 15.67" x 2.75"





Pavers & Slabs

Windermere


Supplier: **Unilock**



Safari



Dusk



Granite



Cliffside Grey



14" x 21" x 2.75"



7" x 14" x 2.75"




14" x 14" x 2.75"

Trevista

Supplier: **Bestway Stone**

Thickness: 50mm / 80mm
Finish: Smooth / Textured



Beige Mix
(Special Order Only)



Carrara



Autumn Hill



Glacier Creek



Grey Mix



19.5" x 13"



13" x 13"



6.5" x 13"


*Sold and packaged in a 1:2:2 ratio





Pavers & Slabs

Blu




Grande

32.5" x 19.5"

*Sold separately (60mm only)

Details

Supplier: Techo-Bloc
 Thickness: 45mm / 60mm / 80mm
 Finish: Smooth / Slate




6.5" x 13"



13" x 13"



19.5" x 13"



6.5" x 13"

*Sold and packaged together

*Sold separately



Chocolate Brown



Chestnut Brown




Champlain Grey




Beige Cream



Greyed Nickel



Shale Grey



Onyx Black



Chocolate Brown




Chestnut Brown




Mojave Beige




Sandalwood




Champlain Grey



Shale Grey




Onyx Black





Pavers & Slabs
Melville



Details
Supplier: Permacon
Thickness: 50mm / 60mm / 80mm
Finish: Smooth



Range Newport Grey



Range Shaded Grey



Range Margaux Beige



Range Bayona Grey



Range Chambord Grey



Range Amber Beige




Rockland Black





Pavers & Slabs

Beacon Hill



28" x 21"

*Sold separately (60mm only)

Details

Supplier: Unilock
Thickness: 60mm / 80mm
Finish: Smooth / Flagstone



21" x 14"



14" x 14"



7" x 14"




7" x 14"

*Sold and packaged together

*Sold separately



Granite Mist



Fossil



Almond Grove



Dark Brown



Opal Blend



Dark Charcoal





Pavers & Slabs

Avari

Supplier: Bestway Stone

Thickness: 50mm
Only Finish: Smooth




Carrara



Grey Mix



Glacier Creek



28" x 14"

*Sold separately

MEGA Melville

Supplier: Permacon

Thickness: 60mm / 80mm
Finish: Smooth



Range Newport Grey



Range Shaded Grey



Range Margaux Beige



Range Scandina Grey




Range Chambord Grey



Range Amber Beige



Range Bayona Grey



Rockland Black



37.375" x 22.44"

*Sold separately





Walls - Blocks

Arlington



15.75 x 8.85 x 4.92 in

Details

Supplier: **Bestway**
Stone Finish: **Smooth**



Colorado Grey




Grey Mix



Nightfall



Summer Mist



Winterborn





Walls - Blocks

Parkwall


Supplier: Bestway Finish: Rockface



Beige Mix

Grey

Grey Mix



Winterborn

Ultra Black
(Coping Only)



7.87" x 11.61" x 5.9"

Raffinato Smooth

Supplier: Techo-Bloc



Beige Cream

Greyed Nickel

Shale Grey

Onyx Black

Caffè Crema



3.56" x 15.625"

*Sold separately



7" x 15.625"

*Sold separately





Walls - Blocks

Urbano Wall

Supplier: Permacon



Range Shaded Grey




Range Scandina Grey



Range Amber Beige

Laying Patterns



Linear



Unit A

7 15/16" x 4 3/4" x 13 3/16"



Unit B

7 15/16" x 4 3/4" x 15 13/16"




Unit C

7 15/16" x 4 3/4" x 18 1/2"

Vario Wall

Supplier: Permacon



Range Newport Grey




Range Scandina Grey



Range Amber Beige


Laying Patterns



Linear



Modular




Unit A

3 9/16" x 9 3/8" x 12 1/2"



Unit B

3 9/16" x 9 3/8" x 15 5/8"



Unit C

3 9/16" x 9 3/8" x 18 3/4"





Walls - Blocks

Melville



Details

Supplier: Permacon
 Thickness: 90mm/180mm
 Finish: Smooth

90

Unit A




3 9/16 x 2 5/8 x 7 7/8 (in)

Unit B



7 1/16 x 2 5/8 x 15 13/16 (in)

Unit C



7 1/16 x 2 5/8 x 18 1/2 (in)

180

Unit A



3 9/16 x 2 5/8 x 7 7/8 (in)

Unit B



3 9/16 x 2 5/8 x 7 7/8 (in)


Unit C



3 9/16 x 2 5/8 x 7 7/8 (in)




Range Shaded Grey




Rockland Black



Range Scandina Grey



Range Margaux Beige



Range Newport Grey



Range Amber Beige






Curbs

Raffinato Smooth Corner 180

Supplier: Techo-Bloc



Greyed Nickel



Beige Cream



Onyx Black



7.0625" x 14.75" x 9.75"

Raffinato Smooth Corner 90


Supplier: Techo-Bloc



Beige Cream



Greyed Nickel






Onyx Black



Shale Grey

Patterns





Curbs

Antico

Supplier: Bestway



Beige Mix



Grey Mix



15.75" x 3.95" x 5.91"

Melville

Supplier: Permacon



Range Scandinavia Grey



Range Shaded Grey




Rockland Black



Range Amber Beige



4 7/8" x 4 1/2" x 23 5/8"





Copings

Parkwall

Supplier: **Bestway Stone**




23.62" x 11.8" x 2.925"



Beige Mix



Grey



Grey Mix



Winterborn



Ultra Black
(coping Only)

Raffinato

Supplier: **Techo-Bloc**



28" x 14" x 2.375"



28" x 14" x 3.47"



Champlain Grey



Chestnut Brown



Caffè Crema



Onyx Black



Shale Grey



Greyed Nickel



Beige Cream





Copings


Barollo

Melville


Tandem Cap

Supplier: Bestway Stone


Supplier: Permacon




9.84" x 12.46" x 2.95"




23.625" x 12" x 2.375"



Ultra Black



Grey



Range Newport Grey



Range Amber Beigel



Rockland Black



Range Shadded Grey



Range Scandina Grey



Range Margaux Beigel





Copings

Universal

Supplier: **Unilock**



19" x 14" x 2.75"



Natural



Light Grey



Dark Charcoal

Natural Stone

Supplier: **Oakville Stone**



Straight Edge



Rockface



Bullnose





Steps

Natural Stone

Supplier: Oakville Stone



36" x 16" x 6"
48" x 16" x 6"

72" x 16" x 6"
96" x 16" x 6"

36" x 16" x 7"
48" x 16" x 7"

72" x 16" x 7"
96" x 16" x 7"



Black Limestone




Hampton Limestone



Autumn Brown



Blue Ice



48" x 16" x 6"
72" x 16" x 6"



Ebony



Granite Grey







Border Options

Border Patterns

Sailor Course Borders



Soldier Course Borders





Our Interlock Process

Markstone Landscaping prides itself on using specialized crews at every stage of your project.

1 Excavating Crew

The first crew to arrive on site will be the excavating crew. They will remove existing interlock/ concrete/ asphalt and excavate the area. This debris will then be loaded into dump trucks and hauled away. This crew will also prepare the foundation of your project.



2 Material Delivery

Next, the interlocking stone will be delivered to your location.



3 Interlocking Crew

Once the material is on site, our interlocking crew will arrive. This crew will prepare the final grading of your project and install the interlock. They will finish by applying polymeric sand and aluminum edging.



4 Cleaning Crew

The final crew to arrive will be the cleaning crew. They will ensure that all debris has been cleared from the job site and the project is ready for you to enjoy!





SERVING ETOBICOKE, MISSISSAUGA, BRAMPTON,
MILTON, OAKVILLE, BURLINGTON AND GTA



416.806.2714

www.markstonelandscaping.com